



# Child Card

**Start vaccination right after completion of 42 days of child's age and complete the vaccination with in 1 year according to the schedule**

Registration No.: \_\_\_\_\_ Date of Registration: \_\_\_\_\_

Name of the child: \_\_\_\_\_ boy/girl

Date of Birth: \_\_\_\_\_ Day \_\_\_\_\_ Month \_\_\_\_\_ Year

Mother's name: \_\_\_\_\_

Father's name: \_\_\_\_\_

House/GR/Holding No.: \_\_\_\_\_ Village/Mahallah/Para: \_\_\_\_\_

Upazila/Municipality/City Corporation: \_\_\_\_\_ District: \_\_\_\_\_

Union/Zone: \_\_\_\_\_ Ward No. (New): \_\_\_\_\_

Name of site: \_\_\_\_\_ Sub Block: \_\_\_\_\_

**Preserve this vaccination card with care. This card will be required in future for getting admission of the child in school, for going outside the country and in future during vaccination with Td.**

**It is required to bring your child at the vaccination center for at least 4 times to complete vaccination with in one year**

**Write date of vaccination and sign in the blank boxes below**

Name of Vaccine	Date of vaccination and signature of the worker			
	1st time	2nd time	3rd time	4th time
<b>BCG</b>	-----			
<b>DPT</b>	-----	-----	-----	
<b>Hepatitis-B</b>	-----	-----	-----	
<b>Poliomyelitis</b>	-----	-----	-----	-----
<b>Measles</b>				-----
<b>Vitamin-A</b>				-----

**Child should be vaccinated with Measles at the age of 10 months/completion of 270 days.**

Name of vaccine	When should be given	
<b>Td-1</b>	<b>Class-I</b>	
<b>Td-2</b>	<b>Class-II</b>	

## Seven Preventive vaccines for Children

1. Your child will be safe from the following 7 deadly communicable diseases if the child receive all vaccines in time:

**1. Tuberculosis**

**2. Poliomyelitis**

**3. Diphtheria**

**4. Whooping cough**

**5. Tetanus**

**6. Hepatitis-B**

**7. Measles**

2. BCG vaccine can be given immediately after birth. Naturally there will be soaring at the site of BCG vaccination (left arm) and there is nothing to be worried about it.
3. 1<sup>st</sup> dose of DPT, Polio and Hepatitis B vaccines are to be administered at 6 weeks/42 days of child's age. Consequently, 2<sup>nd</sup> and 3<sup>rd</sup> doses of these vaccines are to be given with at least 4 weeks/28 days of interval from the previous vaccination.
4. Child should be vaccinated with measles as soon as the child reaches 10<sup>th</sup> months/270 days of age. The 4<sup>th</sup> dose of polio vaccine and vitamin-A should also be given with measles vaccine.
5. Child could be vaccinated in case of minor illness.
6. Normally after vaccination there might be slight increase of temperature, pain and temporary stiffness at the vaccination site but there is nothing to be worried.

**Every child has the right to get all vaccines**

**Dates for coming vaccination center:**

**Date**

1. Date for **1st time** to come to the vaccination site for giving BCG, Polio-1, DPT-1 and Hepatitis B-1 to the child.

2. Date for **2nd time** to come to the vaccination site for giving Polio-2, DPT-2 and Hepatitis B-2 to the child.

3. Date for **3rd time** to come to the vaccination site for giving Polio-3, DPT-3 and Hepatitis B-3 to the child.

4. Date for **4th time** to come to the vaccination site for giving Measles, Polio-4 and vitamin-A to the child.

**During registration, field worker will write down the date of the 1<sup>st</sup> visit of the child for vaccination and the date for Measles vaccination. For subsequent visits the dates should be written after each vaccination.**

**Inform the health worker for any sort of illness of the child and bring the child to the nearest health facility.**

**In your area, if any child die within 28 days after birth or any child get infection with Measles or any child less than 15 years of age get sudden flaccid type of paralysis in one or more limbs then immediately inform the field worker or nearest health facility**

**Expanded Programme on Immunization (EPI), DGHS,  
Ministry of Health and Family Welfare**