# Temperature monitoring and performance management of cold chain equipment – two complimentary approaches

Ngwegwe Bulula (Tanzania MoH) Brian Pal (New Horizons) Abubakar Sani (Bauchi State) Ernest Some (Kenya NVIP)



# **CCE reporting with the Varo Android app**

Pharm. Abubakar Sani, Assistant State Logistics Officer - Bauchi State, Nigeria Ernest Some, CTO, Cold Chain– Kenya NVIP Brian Pal, Sr. Engineering Lead – New Horizons



# Agenda

#### **Introduction / Opportunity**

#### Varo overview

#### **Country use cases**

Kenya – one-time snapshot as part of inventory exercise Bauchi – monthly use led by the state.

Summary

# Varo unlocks CCE insights



## Inadequate visibility into real-world CCE performance has been a longstanding challenge.

- Local temperature loggers are included in every CCEOPfunded fridge, implicitly creating a large but scattered dataset on CCE performance
- The lack of a systematic way to capture/aggregate data from these loggers has left most data locked inside fridges

The Varo Android app was developed as a simple tool to enable capture of existing CCE data

............


M 🚥



Machine-readable reports are transmitted via email and can be processed by reporting and visualization tools

- Emails only go to account established by EPI program
- Equipment installation can be rapidly/consistently verified
- Users are empowered to call for help for their CCE

## Create the Connection – short video






# Varo unlocks CCE insights

The Varo mobile app enables capture and transmission of temperature reports from CCE, using only a mobile phone or tablet

9

12 12 20 10 1. ....

- The 30DTR logger is connected to the phone or tablet using a USB OTG adapter/cable
- The app guides the entire process for report generation and e-mail transmission in < 2 minutes
- The Varo app is available as a free download from the Google Play store







# Varo use: EPI programs

Two separate case studies show how Varo has been deployed to suit different organizational goals

#### Kenya National Vaccines and Immunization program (NVIP):

- Initial use as part of nationwide CCE inventory exercise
- NVIP now implementing Varo as part of normal monthly reporting cadence

# Bauchi State Primary Health Care Development Agency (BSPHCDA), Nigeria:

Monthly use of Varo for ongoing CCE monitoring and deploying maintenance resources



State vaccine delivery staff generate a Varo report in Bauchi, Nigeria

# National Cold Chain Inventory - Kenya

#### Varo was used as part of 2019 nationwide CCE inventory exercise

#### Training/rollout approach:

- App training was conducted at national level with staff from each county
- USB adapters (OTG) were provided along with training
- New Gmail address established to receive all reports

Over course of the inventory exercise, 4,218 emailed Varo reports were transmitted, giving insights into both CCE performance and the value of the Varo tool for data collection

#### Building on this experience, NVIP is rolling out Varo for sustained monthly use

Goal: make CCE report generation a new normal recurring activity – Varo tool becomes a part of everyday process

- All EPI personnel should submit Varo reports when they visit facilities Biomeds, Supervisors, Maintenance techs
- Monthly report generation by health workers planned to start Q4 2020 in three counties, then to scale nationally after that

Recurring 30DTR collection activity with Varo is planned to inform more targeted maintenance interventions

Date an		mber: f report creation:	05.	0600017115 .03.2020 14:	55h									
	ion date: alarm limi	it:		.12.2017 14: ove +8.0°C 1									This data was called at a	40.0C 2020.07 EC UTC
	alarm limi			Below -0.5°C for 1h								This data was collected at 19-06-2020 07:56 UTC from:		
Measu	rement in	terval:1)	1m	iin (fixed)									GPS coordinates:	
													(-1.784456, 37.6283122) +	/- 17 52 m
No. Da	10	Events <sup>2</sup> )	Average	Lower alar Status	milmit Min.	Cumulative	Alarm	Upper alar Status	m limit Max.	Cumulative	Alarm	Signat	Facility name:	,
	i. MM.yyyy)	Litering /	temp.	Cilling	temp.	daily time	trigger	Gillius	temp.	daily time	trigger	Action	kilili health Centre	
						below the limit	time			above the limit	time		Subcounty/ District/ LGA:	
	day 03.2020		+6.4°C +6.1°C	In progress ok	+4.1°C +4.1°C	Omin Omin		In progress ok	+9.0°C +9.6°C	3h 14min 4h 28min		-	makueni	
3 03.	03.2020		+5.3°C	ok	+5.0°C	Omin		ok	+6.1°C	Omin				
	03.2020		+5.3°C +5.4°C	ok	+4.9°C +4.2°C	Omin Omin		ok	+6.0°C +7.4°C	Omin Omin		-	State/ County:	
6 29.	02.2020		+5.3°C	ok	+5.0°C	Omin			+5.9°C	Omin			makueni	
	02.2020		+5.3°C +5.3°C	ok	+5.0°C +5.0°C	Omin Omin	<u> </u>		+5.9°C +5.9°C	Omin Omin	<u> </u>	-	Country:	
9 26.	02.2020		+5.3°C	ok	+5.0°C	Omin			+9.6°C	8min			Kenya	
10 25	02.2020		+5.3°C +5.3°C	ok	+5.0°C +5.1°C	Omin Omin		ok ok	+6.0°C +5.9°C	Omin Omin		+	Facility Manager:	
12 23.	02.2020		+5.3°C	ok	+5.0°C	Omin		ok	+5.9°C	Omin				
	02.2020		+5.3°C +5.3°C	ok	+5.0°C +5.0°C	Omin Omin		ok	+5.9°C +5.9°C	Omin		+	Facility Manager Phone:	
15 20.	02.2020		+5.3°C	ok	+5.0°C	Omin		ok	+6.0°C	Omin			Facility Manager Phone:	App Version:
	02.2020		+5.3°C +5.3°C	ok	+5.0°C +5.0°C	Omin Omin		ok ok	+5.9°C +5.9°C	Omin Omin		_		1.5.0(1912181338)
18 17.	02.2020		+6.0°C	ok	+4.0°C	Omin		ok	+9.2°C	3h 47min				Phone Model:
19 16.	02.2020		+5.3°C +6.2°C	ok	+4.8°C +4.1°C	Omin Omin		ok ok	+6.0°C +9.5°C	Omin 4h 9min		<b>—</b>	The refrigerator unit is:	JKM-LX1
21 14.	02.2020	09:12	+5.4°C	ok	+5.0°C	Omin		ok	+10.6°C	8min			Manufacturer:	OS Version:
22 13	02.2020		+5.3°C +5.3°C	ok	+5.0°C +5.0°C	Omin Omin		ok ok	+5.9°C +5.9°C	Omin Omin		-	Vestfrost	
24 11.	02.2020		+5.3°C	ok	+4.9°C	Omin		ok	+6.0°C	Omin				28
	02.2020		+5.3°C +5.3°C	ok	+5.0°C +5.0°C	Omin Omin		ok	+6.0°C +6.0°C	Omin Omin		-	Model:	Using True Time:
27 08	02.2020		+5.3°C	ok	+4.9°C	0min		ok	+6.0°C	0min			VLS 024 SDD	NO
28 07.	02.2020	10:34	+5.3°C +5.3°C	ok	+4.9°C +4.9°C	Omin Omin		ok ok	+6.0°C +6.0°C	Omin Omin		<b>—</b>	Device ID:	Automatic Time
30 05	02.2020	10.34	+5.3°C	ok	+4.9°C	Omin		ok	+6.0°C	Omin			350600039676	Enabled:
1) Samplin 2) t = time	g and data an	alysis every minute d, hh:mm = status checke	4									-	Device Manufacturer:	YES
x) t = 0	oure change	u, mann i aanus chicke	-											1123
Date ar	nd place:				S	ignature:							Berlinger	
							_							
													E	the second s
							-							
			N			and the second second							All the second	
			1		_	-					-		And I have been a	and the second se
		2000	-									-	And A CONTRACTOR	
	6	3 8 5 8 6 8 S	1 2 E	<b>A</b> Bolling	No. or other			-						
	18	- Harrison						ROST	Typic:	VLS 024 SOD				TAXABLE IN CONTRACTOR
	1							annorane .	1000000	OS Code: E003 lass		調		A CONTRACTOR OF A CONTRACTOR OFTA CONT
						22		Service .	2 a cv	155 Dhone: 145 71	142240	源		
		14 miles		-	former and	Aurent DES								and here
				and a state of the		6400								

Standard Varo report contents showing NVIP photo collection recommendations for CCE: logger, interior, CCE data plate

## Vaccine delivery + Varo deployment – Bauchi State

#### State-directed implementation of CCE monitoring program successfully transitioned from pilot project to routine process

- Vaccine delivery drivers use Varo to collect CCE reports monthly at health facilities during regularly scheduled restocking visits
- Bauchi State Logistics Working Group carried out a phased deployment plan to initiate Varo use
  - Varo capture of 30DTR data was started by eHealth Nigeria as part of their vaccine delivery contract with Bauchi State in late 2018
  - In 2020 Bauchi State took over vaccine delivery and Varo data capture. Android phones were purchased by Bauchi to enable continued Varo data collection

#### VDD PROGRAM:


In Bauchi and some other states in Northern Nigeria, vaccines are delivered directly from State Cold stores to health facilities using dedicated trucks. Varo is used on these delivery trips to collect CCE data



# Monthly CCE review process – Bauchi State


# State Logistics Working Group makes evidence-based decisions guided by recurring Varo data collection

- Varo reports are reviewed monthly as part of the State Logistics Working Group meeting – this creates a clear pathway for addressing problems
- More than 2,010 30DTR reports were captured since January 2020
  - Number of alarming CCE in Bauchi State was reduced from 36 to 4 from June to Sept 2020 using Varo to guide interventions
- Varo reports are used as mechanism for confirming reports of non-functional CCE and identifying facilities that need replacement 30DTR loggers




# Typical deployment data flow

Data path from isolated CCE temperature loggers to machine-aggregated reporting and analysis



# Typical deployment data flow

Data path from isolated CCE temperature loggers to machine-aggregated reporting and analysis



Free Windows app for automated aggregation of Varo reports (<u>www.pogo-lt.org</u>) Pogo LT converts bulkcaptured Varo reports into aggregated summaries



# Easily transmit cold chain temperature reports to any inbox

Varo is a simple and free smartphone app that collects and forwards useful cold chain information to the inbox of your choice.

- Captures temperature data from 30DTR loggers
- Matches alarms with photos, location and other information
- Transmits standardized reports that can be aggregated
- Has been implemented successfully by EPI programs in multiple countries

#### **Create the connection with Varo.**

# VARO ####### 05.2% TI-MF 2 1111111111

#### www.varo-app.org

Further inquiries: datatools@nhgh.org

# Tanzania's Experience and Vision for End-to-End Cold Chain Visibility

The Role of Remote Temperature Monitoring (RTM)





# Background

- Thermometers were the gold standard for recording/monitoring temperatures of CCE
- Later shifted to Fridge and freeze tags
- Both require physical visit to HFs
- Studies showed 40% 50% of HFs store vaccines beyond the recommended temp (Makuru M, 2012; Sia Ringo et.al, 2017)
- Temp Monitoring Study (2014), of 40 shipments, indicated 36% exposed to freezing and 85% exposed to high temperatures.



10

20

- Tanzania started implementing the RTM system since 2014 at the central, regional and some district stores using Beyond Wireless devices.
- Health facilities and in many DVS were still monitored using Fridge-tag and Freeze-tag.
- The MoHCDGEC decided to expand ColdTrace RTM system to the HF's level after good experience of the RTM system at central, regional and district vaccine stores








- Tanzania Government in partnership with JSI and Nexleaf Analytics with support from GAVI, Google.org and ELMA Foundation decided to introduce ColdTrace, a Remote Temperature Monitoring (RTM) solution at the Health Facility level and remaining district vaccine stores (DVS) in the country in August 2017
- The aim was to improve Cold Chain Performance and hence ensure vaccine safety and potency at all levels of the supply chain






## **RTM for Emergency Response Planning: COVID-19**

Real-time cold chain performance data across the country can help the Ministry to:


- Identify the strong and weak cold chain links throughout the country for effective delivery of emergency vaccination
- Use the strongest cold chain links as a robust network for covid-19 vaccine distribution



## **ROLL OUT OF RTM DEVICES IN TANZANIA**

# **Implemented Divided in Three Phases**

- Phase 1 with 2000 RTM Devices installed in 7 Regions across all levels i.e RVS, DVS, and HF's with good network coverage (Completed)
- Phase 2 with 3000 RTM Devices to be installed in 13 regions, prioritizing bordering region (Oct 2020-Apr 2021)
- Phase 3 has ~ 1500 RTM procured directly by the Government to cover the rest of the regions (future)




## Critical Use Case: SMS Alerts for Nurses

**SMS ALERT**: Temp is -2°C! Vaccines kept too COLD for 7 hours, in danger of freezing.

# **Refrigerator** Calls for Help

# How RTM Works for Vaccines




# Integration of ColdTrace Dashboard with VIMS

- Cold Chain data from ColdTrace Dashboard has been integrated into VIMS, Tanzania's LMIS system
- RTM system detects CCE with issues and flags them within VIMS.
- This integrated system notifies stakeholders about immediate outages in cold chain equipment, allowing for rapid detection and resolution of any issues.
- With VIMS, logisticians can **plan stock supply**, as well as **assess the state** of the overall cold chain equipment functionality.



## **Benefits of Data Integration**




Overall improvement on reporting completeness from 76% to 95%

- Integrating the two data systems (RTM and VIMS) has forced the improvement of data quality in VIMS, leading to improved completeness of reports over time
- Constant follow up with the Regions and Councils has improved CCE data in VIMS


# HOW RTM DATA LEADS TO ACTION & CCE PERFORMANCE IMPROVEMENT

# Improved Uptime from Jan-Sep 2020

- Improved performance of uptime since the start of the year 2020 to date, such that improved time of all CCE operating at optimal temperature
- This has been contributed by actions taken by individuals and management at all levels to ensure vaccine are stored at recommended temperature




## Actions has led to Reduced Freezing



Uptime before and after the alerts were activated increased,


Lengths of Freezing Alarms before and after Alert Activation (44% reduction)



Overall 84% less freezing after baseline and alert system activation.


# Contributing Factors to the Improved Uptime

- Remote support by managers to the HF's
- On job training during supervision
- Repair and maintenance of the CCE's
- Availability of spare parts to non CCEOP equipment
- Good response of the management at all levels




## **Examples of Data for Action**






## **Examples of Data for Action**





## RTM for Continuous Monitoring of CCEOP Equipment

Performance: Non-CCEOP vs. CCEOP



## Supporting MOHs: Data-driven Planning and Budgeting





Note: Anonymized data


# RTM is not just about the Technology

### People:

- Stronger communication and alignment among different MOH personnel since data can guide the priorities
- Faster and targeted response to cold chain failures

#### Processes

- RTM can strengthen daily SOPs and strategic planning processes
- Data can guide immunization meetings (e.g. LWG, HSS) at the country for cold chain planning and budgeting



## **LESSONS LEARNED**

# Challenges

#### **RTM and Integration Challenges**

#### Network

- Some devices were removed due to network coverage being very low
- Failure to operate of Mobile towers due to inaccessibility to provide supplies especially during rain season
- Some devices are not sending data because of weak internet connection
- Failure of the RTMD sensors
- Staff turn over
- Integration with VIMS: having exact same serial numbers of CCE to track in both systems complicates the integration process

### **CCE Challenges**

- Inadequate supply of CCE spare parts
  - Untimely repair of the failed CCE due to shortage of spare parts
  - Greater visibility into CCE performance demands more response to maintenance issues
- Lack of CCE data review forums
  - There is no CCE review forums at regional and district levels where most of the decisions needs to be taken
- Staff turn over: New healthcare workers without cold chain management orientation
- Unreliable power and lack of stabilizers

## Lessons Learned

- Strong leadership at all levels is vital to support follow up of CCE performance reports by the RTMDs
- Establishment of feedback mechanisms to motivate and sustain CCE data visibility and action for decision making at all levels (.e Technical Support Unit)
- Having financing/budgeting mechanisms for preventive, repair and maintenance is important if RTM is to succeed.
- Continuous monitoring and on-job learning systems on CCE by health staff and technicians is helpful to data use culture manufacturing.
- Constant institutionalization of a data use to facilitate decision making guided by data provided for by RTMD.

# Vision for 2021 and Beyond

- Real time cold chain performance data from ~ 6000 immunization sites and all the distribution routes
- Goal is to have 90% of CCE with at least 90% uptime.
- Full data integration into VIMS & real-time synchronization of updates
- Ownership and Sustainability by 2021: Training, maintenance and operational RTM costs integrated into 5year government budget
- Improved process for spare parts forecasting and procurement
- Establishment of RTM Technical Support Unit: This is a group of cold chain practitioners with a focus on overall spearheading of RTM success of in the country



### Thank You Very Much Asante Sana